

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	39	"710"/5.ccls. and switch and san and scsi and (fibre near channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/31 13:58
L2	0	"710"/\$.ccls. and ((network near address near translation) or NAT) with modif\$4 with header with (source near address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/31 13:59
L3	0	"710"/\$.ccls. and ((network near address near translation) or NAT) with header with (source near address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/31 13:59
L4	0	"710"/\$.ccls. and ((network near address near translation) or NAT) with header with (source near address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/31 13:59
L5	0	"710"/\$.ccls. and ((network near address near translation) or NAT) with header with (source near address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/31 14:00
L6	92	((network near address near translation) or NAT) with header with (source near address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/31 14:00
L7	62	"370"/\$.ccls. and ((network near address near translation) or NAT) with header with (source near address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/31 14:00

L8	3	"370"/\$.ccfs. and ((network near address near translation) or NAT) with modif\$4 with header with (source near address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/31 14:01
S63	7	((network near address near translation) or NAT) with modif\$4 with header with (source near address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/26 15:47
S64	2	"20030185154"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 12:05
S65	2	"20050117522"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 12:33
S66	1	S65 and initialize with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 12:38
S67	1	S65 and initialize\$3 with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 12:40
S68	0	S65 and "OX_ID" with (initialize\$3 or "un-initialized") with "RX_ID" with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 12:45
S69	0	S65 and ("OX_ID" or "RX_ID") with (initialize\$3 or "un-initialized") with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 12:46

S70	1	S65 and ("OX_ID" or "RX_ID") with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 12:46
S71	1	S64 and (write near command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 13:01

12/31/2008 2:08:53 PM

C:\Documents and Settings\eunelus\My Documents\EAST\Workspaces
\10726269updated2.wsp